

Contrast media

www.esur.org/esur-guideline/

Scrotum

Dogra VS, et al. [Sonography of the scrotum](#). Radiology 2003; 227:18-36

Richenberg J, et al. [Testicular microlithiasis imaging and follow-up: guidelines of the ESUR scrotal imaging subcommittee](#). Eur Radiol. 2015; 25:323-330

Coursey Moreno C, et al. Testicular Tumors: What Radiologists Need to Know-Differential Diagnosis, Staging, and Management. [Radiographics](#) 2015; 35:400-415.

Woodward PJ, et al. [From the archives of the AFIP: extratesticular scrotal masses: radiologic-pathologic correlation](#). Radiographics 2003; 23:215-240

Woodward PJ, et al. [From the archives of the AFIP: tumors and tumorlike lesions of the testis: radiologic-pathologic correlation](#). Radiographics 2002; 22:189-216.

Levenson RB, et al. Fournier gangrene: role of imaging. Radiographics 2008; 28:519-528

Bertolotto M, et al. [Acute segmental testicular infarction at contrast-enhanced ultrasound: early features and changes during follow-up](#). AJR 2011; 196:834-841

[Bilagi P](#), et al. Clinical and ultrasound features of segmental testicular infarction: six-year experience from a single centre. [Eur Radiol](#). 2007; 17:2810-8.

Dogra VS, et al. [Benign intratesticular cystic lesions: US features](#). Radiographics. 2001; 21:S273-81.

Lee JC, et al. [Imaging of the epididymis](#). Ultrasound Q. 2008; 24:3-16.

Bhatt S, et al. [Sonography of benign intrascrotal lesions](#). Ultrasound Q. 2006; 22:121-36.

Stewart VR, et al. [The testis: the unusual, the rare and the bizarre](#). Clin Radiol. 2007; 62:289-302.

Dogra VS, et al. [Torsion and beyond: new twists in spectral Doppler evaluation of the scrotum](#). J Ultrasound Med. 2004; 23:1077-85.

[Cassar S](#), et al. Role of spectral Doppler sonography in the evaluation of partial testicular torsion. [J Ultrasound Med](#). 2008; 27:1629-38.

Bhatt S, et al. [Role of US in testicular and scrotal trauma](#). Radiographics. 2008; 28:1617-29.

[Gerscovich EO](#), et al. Reversal of diastolic blood flow in the testis of a patient with impending infarction due to epididymitis. [J Ultrasound Med](#). 2008; 27:1643-6.

[Lung PF](#), et al. Contrast-enhanced ultrasound in the evaluation of focal testicular complications secondary to epididymitis. [AJR](#). 2012; 199: W345-54.

[Patel K](#), et al. Features of testicular epidermoid cysts on contrast-enhanced sonography and real-time tissue elastography. [J Ultrasound Med](#). 2012; 31:115-22.

Vijayaraghavan SB. [Sonographic differential diagnosis of acute scrotum: real-time whirlpool sign, a key sign of torsion](#). [J Ultrasound Med](#). 2006; 25:563-74.

[Patel KV](#), et al. Testicular Microlithiasis: Is Sonographic Surveillance Necessary? Single Centre 14 Year Experience in 442 Patients with Testicular Microlithiasis. [Ultraschall Med](#). 2015. [Epub ahead of print]

Penis

[Bertolotto M](#), et al. Color Doppler imaging of posttraumatic priapism before and after selective embolization. [Radiographics](#). 2003; 23:495-503.

[Savoca G](#), et al. Sexual function after highly selective embolization of cavernous artery in patients with high flow priapism: long-term follow-up. [J Urol](#). 2004; 172:644-7.

[Bertolotto M](#), et al. Nonpenetrating penile traumas: sonographic and Doppler features. [AJR](#). 2004; 183:1085-9.

[Bertolotto M](#), et al. [Color Doppler US of the postoperative penis: anatomy and surgical complications](#). [Radiographics](#). 2005; 25:731-48.

[Bertolotto M](#), et al. [Painful penile induration: imaging findings and management](#). [Radiographics](#). 2009; 29:477-93.

[Golijanin D](#), et al. [Doppler evaluation of erectile dysfunction - part 1](#). [Int J Impot Res](#). 2007; 19:37-42.

[Golijanin D](#), et al. [Doppler evaluation of erectile dysfunction - part 2](#). [Int J Impot Res](#). 2007; 19:43-8.

[Kirkham AP](#), et al. MR imaging of nonmalignant penile lesions. [Radiographics](#). 2008; 28:837-53.

[Ingram MD](#), et al. [Urethral injuries after pelvic trauma: evaluation with urethrography](#). [Radiographics](#). 2008; 28:1631-43.

[Galvin SD](#), et al. [Magnetic resonance imaging of partial segmental priapism \(segmental thrombosis of corpus cavernosum\)](#). [Urology](#). 2009; 73:275-6.

[Asbach P](#), et al. Acute partial segmental thrombosis of the corpus cavernosum: imaging findings on ultrasound, computed tomography, and magnetic resonance imaging. [Clin Imaging](#). 2008; 32:400-2.

[Rocher L](#), et al. [Imaging tumours of the penis](#). [Diagn Interv Imaging](#). 2012; 93:319-28.

Prostate

[Barentsz JO](#), et al. [ESUR prostate MR guidelines 2012](#). [Eur Radiol](#) 2012; 22:746-757

Female pelvis

Bazot M, et al. European Society of Eurogenital Radiology (ESUR) guidelines: MR imaging of pelvic endometriosis. Eur Radiol (2016). doi: 10.1007/s00330-016-4673-z. <https://link.springer.com/article/10.1007/s00330-016-4673-z>

Duarte AL, et al. [Pitfalls of diffusion-weighted imaging of the female pelvis.](#) Radiol Bras. 2018 Jan-Feb;51(1):37-44. doi: 10.1590/0100-3984.2016.0208.

El Sayed R.F., et al. Magnetic resonance imaging of pelvic floor dysfunction - joint recommendations of the ESUR and ESGAR Pelvic Floor Working Group. Eur Radiol (2016). doi: 10.1007/s00330-016-4471-7. <http://link.springer.com/article/10.1007/s00330-016-4471-7>

Forstner R, et al. ESUR recommendations for MR imaging of the sonographically indeterminate adnexal mass: an update. Eur Radiol (2016). doi: 10.1007/s00330-016-4600-3. <http://link.springer.com/article/10.1007/s00330-016-4600-3>

Forstner R, et al. [Update on Imaging of Ovarian Cancer.](#) Curr Radiol Rep. 2016;4:31. Epub 2016 Apr 9.

Horta M, et al. [Pitfalls in Imaging of Female Pelvic Masses.](#) Current Radiology Reports (2017) October, 5:53 (First Online: 16 August 2017 DOI: 10.1007/s40134-017-0245-5

Horta M, et al. [Sex cord-stromal tumors of the ovary: a comprehensive review and update for radiologists.](#) Diagn Interv Radiol. 2015 Jul-Aug;21(4):277-86. doi: 10.5152/dir.2015.34414.

Kubik-Huch R, et al. [European Society of Urogenital Radiology \(ESUR\) Guidelines: MR Imaging of Leiomyomas.](#) Eur Radiol (2018). <https://doi.org/10.1007/s00330-017-5157-5>

Lopes Dias J, et al. [Neuroendocrine tumours of the female genital tract: a case-based imaging review with pathological correlation.](#) Insights Imaging. 2015 Feb;6(1):43-52. doi: 10.1007/s13244-014-0378-5. Epub 2015 Jan 16.

Veloso Gomez F, et al. [Primary fallopian tube carcinoma: review of MR imaging findings.](#) Insights Imaging. 2015 Aug;6(4):431-9. doi: 10.1007/s13244-015-0416-y. Epub 2015 Jul 7.

Imaging techniques

AIUM, ACR, ACOG, SPR, SRU. [AIUM practice guideline for the performance of ultrasound of the female pelvis.](#) J Ultrasound Med 2014; 33:1122-1130

Brown D, et al. Adnexal masses: US characterization and reporting. Radiology 2010; 254:342-354

Acute

Roche O, et al. Radiological appearances of gynaecological emergencies. Insights Imaging (2012) 3:265–275

Masselli G, et al. [Acute abdominal and pelvic pain in pregnancy: ESUR recommendations](#). Eur Radiol. 2013; 23:3485-3500

Tumours

Balleyguier C, et al. [Staging of uterine cervical cancer with MRI: guidelines of the European Society of Urogenital Radiology](#). Eur Radiol. 2011; 21:1102-1110

Forstner R, et al. [ESUR guidelines: ovarian cancer staging and follow-up](#). Eur Radiol. 2010; 20:2773-2780

Kinkel K, et al. [Staging of endometrial cancer with MRI: guidelines of the European Society of Urogenital Imaging](#). Eur Radiol. 2009; 19:1565-1574

Patel MD, et al. [Cystic teratomas of the ovary: diagnostic value of sonography](#). AJR 1998; 171:1061-1065

[Bharwani N](#), et al. Ovarian Cancer Management: the role of imaging and diagnostic challenges. [Eur J Radiol](#). 2011; 78:41-51.

[Forstner R](#), et al. ESUR guidelines: ovarian cancer staging and follow-up. [Eur Radiol](#). 2010; 20:2773-80.

[Sala E](#), et al. Recurrent ovarian cancer: use of contrast-enhanced CT and PET/CT to accurately localize tumor recurrence and to predict patients' survival. [Radiology](#) 2010; 257:125-34.

[Sala E](#), et al. [The role of dynamic contrast-enhanced and diffusion weighted magnetic resonance imaging in the female pelvis](#). Eur J Radiol. 2010; 76:367-85.

[Spencer JA](#), et al. ESUR guidelines for MR imaging of the sonographically indeterminate adnexal mass: an algorithmic approach. [Eur Radiol](#). 2010; 20:25-35.

Rockall AG, et al. [The role of FDG-PET/CT in gynaecological cancers](#). Cancer Imaging 2012; 12:49-65.

[Park CM](#), et al. Recurrent ovarian malignancy: patterns and spectrum of imaging findings. [Abdom Imaging](#). 2003; 28:404-15.

Andreano A, et al. [MR diffusion imaging for preoperative staging of myometrial invasion in patients with endometrial cancer: a systematic review and meta-analysis](#). Eur Radiol. 2014; 24:1327-38.

[Beddy P](#), et al. FIGO staging system for endometrial cancer: added benefits of MR imaging. [Radiographics](#). 2012; 32:241-54.

[Haldorsen IS](#), et al. Dynamic contrast-enhanced MRI in endometrial carcinoma identifies patients at increased risk of recurrence. [Eur Radiol](#). 2013; 23: 2916-25.

Haldorsen IS, et al. [Staging of endometrial carcinomas with MRI using traditional and novel MRI techniques](#). Clin Radiol. 2012; 67:2-12.

[Hori M](#), et al. Endometrial cancer: preoperative staging using three-dimensional T2-weighted turbo spin-echo and diffusion-weighted MR imaging at 3.0 T: a prospective comparative study. [Eur Radiol](#). 2013; 23:2296-305.

[Nougaret S](#), et al. Pearls and pitfalls in MRI of gynecologic malignancy with diffusion-weighted technique. [AJR](#). 2013; 200:261-76.

Patel S, et al. [Imaging of endometrial and cervical cancer](#). Insights Imaging. 2010; 1:309-328.

[Punwani S](#). Diffusion weighted imaging of female pelvic cancers: concepts and clinical applications. [Eur J Radiol](#). 2011; 78:21-9.

[Rechichi G](#), et al. ADC maps in the prediction of pelvic lymph nodal metastatic regions in endometrial cancer. [Eur Radiol](#). 2013; 23:65-74.

Sala E, et al. [Advances in magnetic resonance imaging of endometrial cancer](#). Eur Radiol. 2011; 21:468-73.

Thoeny HC, et al. [Genitourinary applications of diffusion-weighted MR imaging in the pelvis](#). Radiology. 2012; 263:326-42.

[Tirumani SH](#), et al. Current concepts in the diagnosis and management of endometrial and cervical carcinomas. [Radiol Clin North Am](#). 2013; 51:1087-110.

Viswanathan C, et al. [Positron emission tomography-computed tomography imaging for malignancies in women](#). Radiol Clin North Am. 2013 Nov;51(6):1111-25.

Wakefield JC, et al. [New MR techniques in gynecologic cancer](#). AJR. 2013; 200:249-60.

Endometriosis

Woodward PJ, et al. [Endometriosis: radiologic-pathologic correlation](#). Radiographics 2001; 21:193-216

Patel MD, et al. [Endometriomas: diagnostic performance of US](#). Radiology 1999; 210:739-745

Urinary bladder

Examination techniques

Cohan RH, et al. [MDCT Urography: Exploring a new paradigm for imaging of bladder cancer](#). AJR 2009; 192:1501-1508.

Inflammation

Wong-You-Cheong JJ, et al. [From the archives of the AFIP: Inflammatory and nonneoplastic bladder masses: radiologic-pathologic correlation](#). Radiographics 2006; 26:1847-1868

Tumours

Wong-You-Cheong JJ, et al. [From the Archives of the AFIP: neoplasms of the urinary bladder: radiologic-pathologic correlation](#). Radiographics 2006; 26:553-580

[Thali-Schwab CM](#), et al. Computed tomographic appearance of urachal adenocarcinomas: review of 25 cases. [Eur Radiol](#). 2005; 15:79-84

Wang H, et al. [Bladder paraganglioma in adults: MR appearance in four patients](#). [Eur J Radiol](#) 2011; 80:e217-20.

[Mouli S](#) et al. Imaging features of common and uncommon bladder neoplasms. [Radiol Clin North Am](#). 2012; 50:301-316

Miscellaneous

Bacigalupo LE, et al. [Imaging of urinary bladder hernias](#). [AJR](#) 2005; 184:546-551

[Shinagare AB](#), et al. Urinary bladder: normal appearance and mimics of malignancy at CT urography. [Cancer Imaging](#) 2011; 11:100-108

Seminal vesicles

Kim B, et al. [Imaging of the seminal vesicle and vas deferens](#). [Radiographics](#) 2009; 29:1105-1121

Retroperitoneum

Nishino M, et al. Primary retroperitoneal neoplasms: CT and MR imaging findings with anatomic and pathologic diagnostic clue. [Radiographics](#) 2003; 23:45–57

Tirkes T, et al. Peritoneal and retroperitoneal anatomy and its relevance for cross-sectional imaging. [Radiographics](#) 2012; 32:437-451

Adrenal glands

Boland GW. [Adrenal imaging: why, when, what, and how? Part 1. Why and when to image?](#) [AJR](#) 2010; 195:W377-381

Boland GW. [Adrenal imaging: why, when, what, and how? Part 2. What technique?](#) [AJR](#) 2011; 196:W1-5

Boland GW. [Adrenal imaging: why, when, what, and how? Part 3. The algorithmic approach to definitive characterization of the adrenal incidentaloma](#). [AJR](#) 2011; 196:W109-111

Blake MA, et al. [Pheochromocytoma: an imaging chameleon](#). [Radiographics](#). 2004; 24 S1:S87-99

Kidneys

Examination techniques

Cowan NC. [CT urography for hematuria](#). [Nat Rev Urol](#) 2012; 9:218-226.

Van Der Molen AJ, et al. [CT urography: definition, indications and techniques. A guideline for clinical practice.](#) Eur Radiol 2008; 18:4-17

Israel GM, Bosniak MA [How I do it: evaluating renal masses.](#) Radiology 2005; 236:441-450

Tumours

Sheth S. et al. Imaging of renal lymphoma: patterns of disease with pathologic correlation. Radiographics 2006; 26:1151-1168

Choyke PL, et al [Hereditary renal cancers.](#) Radiology 2003; 226:33-46

[Silverman SG](#) et al. Management of the incidental renal mass. [Radiology.](#) 2008; 249:16-31

[Israel GM](#) et al. Pitfalls in renal mass evaluation and how to avoid them. [Radiographics.](#) 2008; 28:1325-1338

[Israel GM](#), et al. CT and MR imaging of complications of partial nephrectomy. [Radiographics.](#) 2006; 26:1419-1429

[Zhang J](#) et al. Solid renal cortical tumors: differentiation with CT. [Radiology.](#) 2007; 244:494-504.

Ficarra , et al. [Preoperative aspects and dimensions used for an anatomical \(PADUA\) classification of renal tumours in patients who are candidates for nephron-sparing surgery.](#) Eur Urol 2009; 56:786-793

[Kutikov A](#), et al. The R.E.N.A.L. nephrometry score: a comprehensive standardized system for quantitating renal tumor size, location and depth. [J Urol.](#) 2009; 182:844-853

Simmons MN, et al. [Kidney tumor location measurement using the C index method.](#) J Urol 2010; 183:1708-1713

Chapin BF, et al [Renal cell carcinoma: what the surgeon and treating physician need to know.](#) AJR 2011; 196:1255-1262

[Sahni VA](#) et al. Usefulness of percutaneous biopsy in diagnosing benign renal masses that mimic malignancy. [Abdom Imaging.](#) 2011; 36:91-101

[Barr RG](#), et al. Evaluation of indeterminate renal masses with contrast-enhanced US: a diagnostic performance study. [Radiology.](#) 2014; 271:133-42.

[Hoeffel C](#), et al. Radiofrequency ablation of renal tumours: diagnostic accuracy of contrast-enhanced ultrasound for early detection of residual tumour. [Eur Radiol.](#) 2010; 20:1812-21.

[Buy X](#), et al. Percutaneous renal cryoablation: prospective experience treating 120 consecutive tumors. [AJR.](#) 2013; 201:1353-61.

Cysts

Bosniak MA. The current radiological approach to renal cysts. *Radiology* 1986; 158:1 – 10

[Bosniak MA](#). The Bosniak renal cyst classification: 25 years later. [Radiology](#). 2012; 262:781-785

[Israel GM](#), et al. Evaluation of cystic renal masses: comparison of CT and MR imaging by using the Bosniak classification system. [Radiology](#). 2004; 231:365-371

Siegel CL, et al. CT of cystic renal masses: analysis of diagnostic performance and interobserver variation. *AJR Am J Roentgenol* 1997; 169:813 – 818

[Ascenti G](#), et al. Complex cystic renal masses: characterization with contrast-enhanced US. [Radiology](#). 2007; 243:158-65.

Infections

Talner LB, et al [Acute pyelonephritis: can we agree on terminology?](#) *Radiology* 1994; 192:297-305.

Dalla-Palma L, et al. [Delayed CT findings in acute renal infection](#). *Clin Radiol* 1995; 50:364-70.

[Loffroy R](#), et al. Xanthogranulomatous pyelonephritis in adults: clinical and radiological findings in diffuse and focal forms. [Clin Radiol](#). 2007; 62:884-90.

[Demertzis J](#), et al. State of the art: imaging of renal infections. [Emerg Radiol](#). 2007; 14:13-22.

[Craig WD](#), et al. Pyelonephritis: radiologic-pathologic review. [Radiographics](#). 2008; 28:255-77.

Infarcts

[Bertolotto M](#) et al. Value of contrast-enhanced ultrasonography for detecting renal infarcts proven by contrast enhanced CT. A feasibility study. [Eur Radiol](#). 2008; 18:376-83.

CT Urography

Abou-El-Ghar, M. E., El-Assmy, A., Refaie, H. F., & El-Diasty, T. (2009). Bladder cancer: diagnosis with diffusion-weighted MR imaging in patients with gross hematuria. *Radiology*, 251, 415-421.

Ahlstrom, H., Malmstrom, P. U., Letocha, H., Andersson, J., Langstrom, B., & Nilsson, S. (1996). Positron emission tomography in the diagnosis and staging of urinary bladder cancer. *Acta Radiol*, 37, 180-185.

Akita, H., Jinzaki, M., Kikuchi, E., Sugiura, H., Akita, A., Mikami, S. et al. (2011). Preoperative T Categorization and Prediction of Histopathologic Grading of Urothelial Carcinoma in Renal Pelvis Using Diffusion-Weighted MRI. *American Journal of Roentgenology*, 197, 1130-1136.

- Albani, J. M., Ciaschini, M. W., Stroom, S. B., Herts, B. R., & Angermeier, K. W. (2007). The Role of Computerized Tomographic Urography in the Initial Evaluation of Hematuria. *Journal of Urology*, 644-648.
- Altman, D. G., Machin, D., Bryant, T. N., & Gardner, M. J. (2000). *Statistics with Confidence*. (2 nd ed.) London: BMJ Books.
- Anderson, E. M., Murphy, R. M., Rennie, A. T. M., & Cowan, N. C. (2006). Multidetector computed tomography urography (MDCTU) for diagnosing urothelial malignancy. *Clinical Radiology*, 62, 324-332.
- Ascenti, G., Mileto, A., Gaeta, M., Blandino, A., Mazziotti, S., & Scribano, E. (2013). Single-phase dual-energy CT urography in the evaluation of haematuria. *Clin Radiol*, 68, e87-e94.
- Bae, K. T. (2010). Intravenous Contrast Medium Administration and Scan Timing at CT: Considerations and Approaches¹. *Radiology*, 256, 32-61.
- Berwick, D. M. (2013). *Improving the safety of patients in England*. National advisory group on the safety of patients in England.
- Blick, C. G., Nazir, S. A., Mallett, S., Turney, B. W., Onwu, N. N., Roberts, I. S. et al. (2011). Evaluation of diagnostic strategies for bladder cancer using computed tomography (CT) urography, flexible cystoscopy and voided urine cytology: results for 778 patients from a hospital haematuria clinic. *BJU Int.*, 84-94.
- Bosniak, M. A. (1991). The small (less than or equal to 3.0 cm) renal parenchymal tumor: detection, diagnosis, and controversies. *Radiology*, 179, 307-317.
- Bossuyt, P. M., Irwig, L., Craig, J., & Glasziou, P. (2006). Comparative accuracy: assessing new tests against existing diagnostic pathways. *British Medical Journal*, 332, 1089-1092.
- Botteman, M. F., Pashos, C. L., Redaelli, A., Laskin, B., & Hauser, R. (2003). The health economics of bladder cancer: a comprehensive review of the published literature. *Pharmacoeconomics.*, 21, 1315-1330.
- Bouchelouche, K., Turkbey, B., & Choyke, P. L. (2012). PET/CT and MRI in Bladder Cancer. *J Cancer Sci. Ther.*, S14.
- Brenner, D. J. & Hall, E. J. (2007). Computed tomography--an increasing source of radiation exposure. *N.Engl J Med.*, 357, 2277-2284.
- Brenner, D. J., Shuryak, I., & Einstein, A. J. (2011). Impact of Reduced Patient Life Expectancy on Potential Cancer Risks from Radiologic Imaging. *Radiology*, 261, 193-198.

- Brien, J. C., Shariat, S. F., Herman, M. P., Ng, C. K., Scherr, D. S., Scoll, B. et al. (2010). Preoperative hydronephrosis, ureteroscopic biopsy grade and urinary cytology can improve prediction of advanced upper tract urothelial carcinoma. *J Urol*, *184*, 69-73.
- Bromage, S. J., Liew, M. P. C., Moore, K. C., Raju, B., & Shackley, D. C. (2012). The economic implications of unsuspected findings from CT urography performed for haematuria. *British Journal of Radiology*.
- Burke, D. M., Shackley, D. C., & O'Reilly, P. H. (2002). The community-based morbidity of flexible cystoscopy. *BJU Int.*, *89*, 347-349.
- Cancer Research UK. (15-3-2010). UK Bladder Cancer Statistics.
Ref Type: Online Source
- Caoili, E. M., Cohan, R. H., Inampudi, P., Ellis, J. H., Shah, R. B., Faerber, G. J. et al. (2005). MDCT Urography of Upper Tract Urothelial Neoplasms. *AJR Am.J.Roentgenol.*, *184*, 1873-1881.
- Caoili, E. M., Cohan, R. H., Korobkin, M., Platt, J. F., Francis, I. R., Faerber, G. J. et al. (2002). Urinary tract abnormalities: initial experience with multi-detector row CT urography. *Radiology*, *222*, 353-360.
- Caoili, E. M., Inampudi, P., Cohan, R. H., & Ellis, J. H. (2005). Optimization of Multi-Detector Row CT Urography: Effect of Compression, Saline Administration, and Prolongation of Acquisition Delay. *Radiology*, *235*, 116-123.
- Cha, E. K., Shariat, S. F., Kormaksson, M., Novara, G., Chromecki, T. F., Scherr, D. S. et al. (2012). Predicting clinical outcomes after radical nephroureterectomy for upper tract urothelial carcinoma. *Eur.Urol*, *61*, 818-825.
- Chen, G. L., El-Gabry, E. A., & Bagley, D. H. (2000). Surveillance of upper urinary tract transitional cell carcinoma: the role of ureteroscopy, retrograde pyelography, cytology and urinalysis. *J Urol*, *164*, 1901-1904.
- Chow, L. C., Kwan, S. W., Olcott, E. W., & Sommer, G. (2007). Split-Bolus MDCT Urography with Synchronous Nephrographic and Excretory Phase Enhancement. *AJR Am.J.Roentgenol.*, *189*, 314-322.
- Chow, L. C. & Sommer, F. G. (2001). Multidetector CT Urography with Abdominal Compression and Three-Dimensional Reconstruction. *AJR Am.J.Roentgenol.*, *177*, 849-855.
- Chow, W. H., Dong, L. M., & Devesa, S. S. (2010). Epidemiology and risk factors for kidney cancer. *Nat Rev Urol*, *7*, 245-257.
- Clark, J. Y., Thompson, I. M., & Optenberg, S. A. (1995). Economic Impact of Urolithiasis in the United States. *The Journal of Urology*, *154*, 2020-2024.

- Clayman, R. V., Reddy, P., & Lange, P. H. (1984). Flexible fiberoptic and rigid-rod lens endoscopy of the lower urinary tract: a prospective controlled comparison. *J Urol*, *131*, 715-716.
- Cohan, R. H., Caoili, E. M., Cowan, N. C., Weizer, A. Z., & Ellis, J. H. (2009). MDCT Urography: Exploring a New Paradigm for Imaging of Bladder Cancer. *AJR Am.J.Roentgenol.*, *192*, 1501-1508.
- Coursey, C., Nelson, R. C., Boll, D. T., Paulson, E. K., Ho, L. M., Neville, A. M. et al. (2010). Dual-Energy Multidetector CT: How Does It Work, What Can It Tell Us, and When Can We Use It in Abdominopelvic Imaging?1. *RadioGraphics*, *30*, 1037-1055.
- Cowan, N. C. (2012). CT urography for hematuria. *Nat Rev Urol*, *9*, 218-226.
- Cowan, N. C. & Crew, J. P. (2010). Imaging bladder cancer. *Curr.Opin.Urol*, *20*, 409-413.
- Cowan, N. C., Mallett, S., & Crew, J. P. (2011). Justification for using CT urography as the first-line diagnostic imaging test for investigating hematuria in patients at high risk of upper urinary tract cancer. The Thirty-Sixth Scientific Assembly of the Society of Uroradiology, Carlsbad, California, U.S.A. -, 50. 20-3-2011.
Ref Type: Abstract
- Cowan, N. C., Turney, B. W., Taylor, N. J., McCarthy, C. L., & Crew, J. P. (2007). Multidetector computed tomography urography (MDCTU) for diagnosing upper urinary tract tumour. *BJU International*, *99*, 1363-1370.
- Dachman, A. H., Kelly, K. B., Zintsmaster, M. P., Rana, R., Khankari, S., Novak, J. D. et al. (2008). Formative Evaluation of Standardized Training for CT Colonographic Image Interpretation by Novice Readers. *Radiology*, *249*, 167-177.
- Dillman, J. R., Caoili, E. M., & Cohan, R. H. (2007). Multi-detector CT urography: a one-stop renal and urinary tract imaging modality. *Abdominal Imaging*, *32*, 519-529.
- Dillman, J. R., Caoili, E. M., Cohan, R. H., Ellis, J. H., Francis, I. R., & Schipper, M. J. (2008). Detection of upper tract urothelial neoplasms: sensitivity of axial, coronal reformatted, and curved-planar reformatted image-types utilizing 16-row multi-detector CT urography. *Abdom.Imaging*, *33*, 707-716.
- DiMasi, J. A., Hansen, R. W., & Grabowski, H. G. (2003). The price of innovation: new estimates of drug development costs. *Journal of Health Economics*, *22*, 151-185.
- Edwards, T. J., Dickinson, A. J., Natale, S., Gosling, J., & McGrath, J. S. (2006). A prospective analysis of the diagnostic yield resulting from the attendance of 4020 patients at a protocol-driven haematuria clinic. *BJU International*, *97*, 301-305.
- El-Assmy, A., Abou-El-Ghar, M. E., Mosbah, A., El-Nahas, A. R., Refaie, H. F., Hekal, I. A. et al. (2009). Bladder tumour staging: comparison of diffusion- and T2-weighted MR imaging. *Eur Radiol*, *19*, 1575-1581.

- Ferlay, J., Autier, P., Boniol, M., Heanue, M., Colombet, M., & Boyle, P. (2007). Estimates of the cancer incidence and mortality in Europe in 2006. *Ann Oncol*, *18*, 581-592.
- Fielding, J. R., Silverman, S. G., Samuel, S., Zou, K. H., & Loughlin, K. R. (1998). Unenhanced helical CT of ureteral stones: a replacement for excretory urography in planning treatment. *American Journal of Roentgenology*, *171*, 1051-1053.
- Fowler, K. A., Locken, J. A., Duchesne, J. H., & Williamson, M. R. (2002). US for detecting renal calculi with nonenhanced CT as a reference standard. *Radiology*, *222*, 109-113.
- Fritz, G. A., Schoellnast, H., Deutschmann, H. A., Quehenberger, F., & Tillich, M. (2006). Multiphasic multidetector-row CT (MDCT) in detection and staging of transitional cell carcinomas of the upper urinary tract. *European Radiology*, *16*, 1244-1252.
- Gazelle, G. S., McMahon, P. M., Siebert, U., & Beinfeld, M. T. (2005). Cost-effectiveness Analysis in the Assessment of Diagnostic Imaging Technologies. *Radiology*, *235*, 361-370.
- Golan, S., Sopov, V., Baniel, J., & Groshar, D. (2011). Comparison of ¹¹C-choline with ¹⁸F-FDG in positron emission tomography/computerized tomography for staging urothelial carcinoma: a prospective study. *J Urol*, *186*, 436-441.
- Gray Sears, C., Ward, J. F., Sears, S. T., Puckett, M. F., Kane, C. J., & Amling, C. L. (2003). Prospective comparison of computerized tomography and excretory urography in the initial evaluation of asymptomatic microhematuria. *Journal of Urology*, *168*, 2457-2460.
- Grossfeld, G. D., Litwin, M. S., Wolf, S. J., Hricak, H., Shuler, C. L., Agerter, D. C. et al. (2001a). Evaluation of asymptomatic microscopic hematuria in adults: The American Urological Association Best Practice Policy-Part 11: Patient evaluation, cytology, voided markers, imaging, cystoscopy, nephrology evaluation, and follow-up. *Urology*, *57*, 604-610.
- Grossfeld, G. D., Litwin, M. S., Wolf, S. J., Hricak, H., Shuler, C. L., Agerter, D. C. et al. (2001b). Evaluation of asymptomatic microscopic hematuria in adults: The American Urological Association best practice policy-Part 1: definition, detection, prevalence, and etiology. *Urology*, *57*, 599-603.
- Grossfeld, G. D., Wolf, S. J., Litwin, M. S., Hricak, H., H, Schuer, C. L. et al. (2001c). Asymptomatic microscopic hematuria in adults: Summary of the AUA best practice policy recommendations. *American Family Physician*, *63*, 1145-1154.
- Hall, M. C., Womack, S., Sagalowsky, A. I., Carmody, T., Erickstad, M. D., & Roehrborn, C. G. (1998). Prognostic factors, recurrence, and survival in transitional cell carcinoma of the upper urinary tract: a 30-year experience in 252 patients. *Urology*, *52*, 594-601.
- Hartman, R., Kawashima, A., Takahashi, N., Silva, A., Vrtiska, T., Leng, S. et al. (2012). Applications of dual-energy CT in urologic imaging: an update. *Radiol Clin North Am*, *50*, 191-205, v.

Hellawell, G. O., Cowan, N. C., Holt, S. J., & Mutch, S. J. (2002). A radiation perspective for treating loin pain in pregnancy by double-pigtail stents. *BJU International*, *90*, 801-808.

Hendee, W. R., Becker, G. J., Borgstede, J. P., Bosma, J., Casarella, W. J., Erickson, B. A. et al. (2010). Addressing overutilization in medical imaging. *Radiology*, *257*, 240-245.

Hofland, C. A. & Mariani, A. J. (2004). Is cytology required for a hematuria evaluation? *J Urol*, *171*, 324-326.

Hollenbeck, B. K., Dunn, R. L., Ye, Z., Hollingsworth, J. M., Skolarus, T. A., Kim, S. P. et al. (2010). Delays in diagnosis and bladder cancer mortality. *Cancer*, *116*, 5235-5242.

Iglehart, J. K. (2006). The new era of medical imaging--progress and pitfalls. *N Engl.J Med.*, *354*, 2822-2828.

Israel, G. M. & Bosniak, M. A. (2005). How I Do It: Evaluating Renal Masses. *Radiology*, *236*, 441-450.

Jamis-Dow, C. A., Choyke, P. L., Jennings, S. B., Linehan, W. M., Thakore, K. N., & Walther, M. M. (1996). Small (< or = 3-cm) renal masses: detection with CT versus US and pathologic correlation. *Radiology*, *198*, 785-788.

Jinzaki, M., Matsumoto, K., Kikuchi, E., Sato, K., Horiguchi, Y., Nishiwaki, Y. et al. (2011). Comparison of CT Urography and Excretory Urography in the Detection and Localization of Urothelial Carcinoma of the Upper Urinary Tract. *AJR Am.J.Roentgenol.*, *196*, 1102-1109.

Jinzaki, M., Tanimoto, A., Shinmoto, H., Horiguchi, Y., Sato, K., Kuribayashi, S. et al. (2007). Detection of bladder tumors with dynamic contrast-enhanced MDCT. *AJR Am.J.Roentgenol.*, *188*, 913-918.

Johnson, M. I., Merrilees, D., Robson, W. A., Lennon, T., Masters, J., Orr, K. E. et al. (2007). Oral ciprofloxacin or trimethoprim reduces bacteriuria after flexible cystoscopy. *BJU Int.*, *100*, 826-829.

Kalra, M. K., Maher, M. M., Toth, T. L., Hamberg, L. M., Blake, M. A., Shepard, J. A. et al. (2004). Strategies for CT Radiation Dose Optimization. *Radiology*, *230*, 619-628.

Karcaaltincaba, M. & Aktas, A. (2011). Dual-energy CT revisited with multidetector CT: review of principles and clinical applications. *Diagn.Interv.Radiol*, *17*, 181-194.

Katzberg, R. W. (1997). Urography into the 21st century: new contrast media, renal handling, imaging characteristics, and nephrotoxicity. *Radiology*, *204*, 297-312.

Kawamoto, S., Horton, K. M., & Fishman, E. K. (2006). Opacification of the Collecting System and Ureters on Excretory-Phase CT Using Oral Water as Contrast Medium. *American Journal of Roentgenology*, *186*, 136-140.

- Kawashima, A., Vrtiska, T. J., LeRoy, A. J., Hartman, R. P., McCollough, C. H., & King, B. F. Jr. (2004). CT Urography. *RadioGraphics*, 24, 235-254.
- Kaza, R. K., Platt, J. F., & Megibow, A. J. (2013). Dual-energy CT of the urinary tract. *Abdom.Imaging*, 38, 167-179.
- Kaza, R. K., Platt, J. F., Cohan, R. H., Caoili, E. M., Al-Hawary, M. M., & Wasnik, A. (2012). Dual-Energy CT with Single- and Dual-Source Scanners: Current Applications in Evaluating the Genitourinary Tract. *RadioGraphics*, 32, 353-369.
- Kekelidze, M., Dwarkasing, R. S., Dijkshoorn, M. L., Sikorska, K., Verhagen, P. C., & Krestin, G. P. (2010). Kidney and urinary tract imaging: triple-bolus multidetector CT urography as a one-stop shop--protocol design, opacification, and image quality analysis. *Radiology*, 255, 508-516.
- Kelly, J. D., Fawcett, D. P., & Goldberg, L. C. (2009). Assessment and management of non-visible haematuria in primary care. *British Medical Journal*, 338, a3021.
- Kemper, J., Regier, M., Stork, A., Adam, G., & Nolte-Ernsting, C. (2006). Multislice CT Urography (MSCTU): Evaluation of a Modified Scan Protocol for Optimized Opacification of the Collecting System. *Fortschr Röntgenstr*, 178, 531-537.
- Khadra, M. H., Pickard, R. S., Charlton, M., Powell, P. H., & Neal, D. E. (1999). A prospective analysis of 1,939 patients with hematuria to evaluate current diagnostic practice. *Journal of Urology*, 163, 524-527.
- Kielar, A. Z., El-Maraghi, R. H., & Carlos, R. C. (2007). Health-related quality of life and cost-effectiveness analysis in radiology. *Acad.Radiol*, 14, 411-419.
- Kim, J. K., Park, S.-Y., Ahn, H. J., & et al (2004). Bladder cancer: analysis of multidetector row helical CT enhancement pattern and accuracy in tumor detection and perivesical staging. *Radiology*, 231, 725-731.
- Kim, S., Wang, L. L., Heiken, J. P., Siegel, C. L., Hildebolt, C. F., & Bae, K. T. (2008). Opacification of urinary bladder and ureter at CT urography: effect of a log-rolling procedure and postvoiding residual bladder urine volume. *Radiology*, 247, 747-753.
- Knox, M. K., Cowan, N. C., Rivers-Bowerman, M. D., & Turney, B. W. (2008). Evaluation of multidetector computed tomography urography and ultrasonography for diagnosing bladder cancer. *Clinical Radiology*, 63, 1317-1325.
- Knox, M. K., Rivers-Bowerman, M. D., Bardgett, H. P., & Cowan, N. C. (2010). Multidetector computed tomography with triple-bolus contrast medium administration protocol for preoperative anatomical and functional assessment of potential living renal donors. *European Radiology*, 20, 2590-2599.
- Konety, B. R., Joyce, G. F., & Wise, M. (2007). Bladder and upper tract urothelial cancer. *J Urol*, 177, 1636-1645.

- Kupershmidt, M., Margolis, M., Jang, H. J., Massey, C., & Metser, U. (2011). Evaluation of Upper Urinary Tract Tumors With Portal Venous Phase MDCT: A Case-Control Study. *American Journal of Roentgenology*, 197, 424-428.
- Lang, E. K., Macchia, R. J., Thomas, R., Ruiz-Deya, G., Watson, R. A., Richter, F. et al. (2002). Computerized tomography tailored for the assessment of microscopic hematuria. *Journal of Urology*, 167, 547-554.
- Le, B. D., Breton, E., Lallemand, D., Aubin, M. L., Vignaud, J., & Laval-Jeantet, M. (1988). Separation of diffusion and perfusion in intravoxel incoherent motion MR imaging. *Radiology*, 168, 497-505.
- Lee, S., Jung, S. E., Rha, S. E., & Byun, J. Y. (2012). Reducing radiation in CT urography for hematuria: Effect of using 100 kilovoltage protocol. *Eur.J Radiol*, 81, e830-e834.
- Leyendecker, J. R., Barnes, C. E., & Zagoria, R. J. (2008). MR urography: techniques and clinical applications. *RadioGraphics*, 28, 23-46.
- Liu, W., Mortelet, K. J., & Silverman, S. G. (2005). Incidental Extraordinary Findings at MDCT Urography in Patients with Hematuria: Prevalence and Impact on Imaging Costs. *American Journal of Roentgenology*, 185, 1051-1056.
- Ljungberg, B., Cowan, N. C., Hanbury, D. C., Hora, M., Kuczyk, M. A., Merseburger, A. S. et al. (2010). EAU guidelines on renal cell carcinoma: the 2010 update. *Eur Urol*, 58, 398-406.
- Lopez-Beltran, A. & Montironi, R. (2004). Non-Invasive Urothelial Neoplasms: According to the Most Recent WHO Classification. *European Urology*, 46, 170-176.
- Lu, Y. Y., Chen, J. H., Liang, J. A., Wang, H. Y., Lin, C. C., Lin, W. Y. et al. (2012). Clinical value of FDG PET or PET/CT in urinary bladder cancer: A systemic review and meta-analysis. *European Journal of Radiology*, 81, 2411-2416.
- Mahesh, M. (2009a). Conventional, Spiral, and Electron Beam CT: Background. In *MDCT Physics: The Basics - Technology, Image Quality and Radiation Dose* (1 ed., pp. 5-16). Wolters Kluwer / Lippincott Williams & Wilkins.
- Mahesh, M. (2009b). Multiple-Row Detector Computed Tomography. In *MDCT Physics: The Basics - Technology, Image Quality and Radiation Dose* (1 ed., pp. 17-35). Wolters Kluwer / Lippincott Williams & Wilkins.
- Maheshwari, E., O'Malley, M. E., Ghai, S., Staunton, M., & Massey, C. (2010). Split-Bolus MDCT Urography: Upper Tract Opacification and Performance for Upper Tract Tumors in Patients With Hematuria. *American Journal of Roentgenology*, 194, 453-458.
- Malmström, P.-U. (2003). Time to abandon testing for microscopic haematuria in adults? *British Medical Journal*, 326, 813-815.

- Margulis, V., McDonald, M., Tamboli, P., Swanson, D. A., & Wood, C. G. (2009). Predictors of oncological outcome after resection of locally recurrent renal cell carcinoma. *J Urol*, *181*, 2044-2051.
- Margulis, V., Youssef, R. F., Karakiewicz, P. I., Lotan, Y., Wood, C. G., Zigeuner, R. et al. (2010). Preoperative multivariable prognostic model for prediction of nonorgan confined urothelial carcinoma of the upper urinary tract. *J Urol*, *184*, 453-458.
- Mariani, A. J., Mariani, M. C., Macchioni, C., Stams, U. K., Hariharan, A., & Moriera, A. (1989). The significance of adult hematuria: 1,000 hematuria evaluations including a risk-benefit and cost-effectiveness analysis. *J.Urol*, *141*, 350-355.
- Maurer, T., Souvatzoglou, M., Kubler, H., Opercan, K., Schmidt, S., Herrmann, K. et al. (2012). Diagnostic efficacy of [11C]choline positron emission tomography/computed tomography compared with conventional computed tomography in lymph node staging of patients with bladder cancer prior to radical cystectomy. *Eur Urol*, *61*, 1031-1038.
- McFarlane, J. P., Cowan, N. C., Holt, S. J., & Cowan, M. J. (2001). Outpatient ureteric procedures: a new method for retrograde ureteropyelography and ureteric stent placement. *British Journal of Urology*, *87*, 172-176.
- McTavish, J. D., Jinzaki, M., Zou, K. H., Nawfel, R. D., & Silverman, S. G. (2002). Multi-detector row CT urography: comparison of strategies for depicting the normal urinary collecting system. *Radiology*, *225*, 783-790.
- Meindl, T., Copenrath, E., Kahlil, R., Muller-Lisse, U., Reiser, M., & Muller-Lisse, U. (2006). MDCT urography: retrospective determination of optimal delay time after intravenous contrast administration. *European Radiology*, 1-8.
- Memarsadeghi, M., Heinz-Peer, G., Helbich, T. H., Schaefer-Prokop, C., Kramer, G., Scharitzer, M. et al. (2005). Unenhanced Multi-Detector Row CT in Patients Suspected of Having Urinary Stone Disease: Effect of Section Width on Diagnosis. *Radiology*, *235*, 530-536.
- Meranze, S. G., Pollack, H. M., & Banner, M. P. (1982). The use of grasping forceps in the upper urinary tract: Technique and radiologic implications. *American Journal of Roentgenology*, *144*, 171-173.
- Metser, U., Goldstein, M. A., Chawla, T. P., Fleshner, N. E., Jacks, L. M., & Malley, M. E. (2012). Detection of Urothelial Tumors: Comparison of Urothelial Phase with Excretory Phase CT Urography - A Prospective Study. *Radiology*, *264*, 110-118.
- Moon, J. W., Park, B. K., Kim, C. K., & Park, S. Y. (2012). Evaluation of virtual unenhanced CT obtained from dual-energy CT urography for detecting urinary stones. *Br.J Radiol*, *85*, e176-e181.
- Morcos, S. K. (2007). Computed tomography urography technique, indications and limitations. *Curr.Opin.Urol*, *17*, 56-64.

- Nawfel, R. D., Judy, P. F., Schleipman, A. R., & Silverman, S. G. (2004). Patient radiation dose at CT urography and conventional urography. *Radiology*, *232*, 126-132.
- Newcombe, R. G. (1998). Improved confidence intervals for the difference between binomial proportions based on paired data. *Stat.Med.*, *17*, 2635-2650.
- Nilsson, A. (2004). Contrast-enhanced ultrasound of the kidneys. *Eur.Radiol.*, *14 Suppl 8*, 104-109.
- Nishizawa, S., Imai, S., Okaneya, T., Nakayama, T., Kamigaito, T., & Minagawa, T. (2010). Diffusion weighted imaging in the detection of upper urinary tract urothelial tumors. *Int.Braz.J Urol*, *36*, 18-28.
- Nolte-Ernsting, C. & Cowan, N. (2006). Understanding multi-slice CT urography techniques: Many roads lead to Rome. *European Radiology*, *16*, 2670-2686.
- Nolte-Ernsting, C. C., Staatz, G., Tacke, J., & Gunther, R. W. (2003). MR urography today. *Abdom.Imaging*, *28*, 191-209.
- Noroozian, M., Cohan, R. H., Caoili, E. M., Cowan, N. C., & Ellis, J. H. (2004). Multislice CT urography: state of the art. *The British Journal of Radiology*, *77*, S74-S86.
- Nowak, T., Hupfer, M., Brauweiler, R., Eisa, F., & Kalender, W. A. (2011). Potential of high-Z contrast agents in clinical contrast-enhanced computed tomography. *Med.Phys.*, *38*, 6469-6482.
- O'Connor, O. J., Fitzgerald, E., & Maher, M. M. (2010). Imaging of Hematuria. *American Journal of Roentgenology*, *195*, W263-W267.
- O'Malley, M. E., Hahn, P. F., Yoder, I. C., Gazelle, G. S., McGovern, F. J., & Mueller, P. R. (2003). Comparison of excretory phase, helical computed tomography with intravenous urography in patients with painless haematuria. *Clinical Radiology*, *58*, 294-300.
- Otero, H. J., Rybicki, F. J., Greenberg, D., & Neumann, P. J. (2008). Twenty years of cost-effectiveness analysis in medical imaging: are we improving? *Radiology*, *249*, 917-925.
- Papalia, R., Simone, G., Grasso, R., Augelli, R., Faiella, E., Guaglianone, S. et al. (2012). Diffusion-weighted magnetic resonance imaging in patients selected for radical cystectomy: detection rate of pelvic lymph node metastases. *BJU Int.*, *109*, 1031-1036.
- Park, S. B., Kim, J. K., Lee, H. J., Choi, H. J., & Cho, K. S. (2007). Hematuria: portal venous phase multi detector row CT of the bladder--a prospective study. *Radiology*, *245*, 798-805.
- Pavone-Macaluso, M., Lamartina, M., Pavone, C., & Vella, M. (1992). The flexible cystoscope. *Int Urol Nephrol*, *24*, 239-242.

- Plail, R. (1990). Detecting bladder cancer. *British Medical Journal*, 301, 567-568.
- Remzi, M., Haitel, A., Margulis, V., Karakiewicz, P., Montorsi, F., Kikuchi, E. et al. (2009). Tumour architecture is an independent predictor of outcomes after nephroureterectomy: a multi-institutional analysis of 1363 patients. *BJU Int.*, 103, 307-311.
- Ripolles, T., Agramunt, M., Errando, J., Martínez, M. J., Coronel, B., & Morales, M. (2004). Suspected ureteral colic: plain film and sonography vs unenhanced helical CT. A prospective study in 66 patients. *European Radiology*, 14, 129-136.
- Rodgers, M., Nixon, J., Hempel, S., Aho, T., Kelly, J., Neal, D. et al. (2006a). Diagnostic tests and algorithms used in the investigation of haematuria: systematic reviews and economic evaluation. *Health Technology Assessment*, 10.
- Rodgers, M., Nixon, J., Hempel, S., Aho, T., Kelly, J., Neal, D. et al. (2006b). Diagnostic tests and algorithms used in the investigation of haematuria: systematic reviews and economic evaluation. *Health Technol. Assess.*, 10, iii-259.
- Roupret, M., Babjuk, M., Comperat, E., Zigeuner, R., Sylvester, R., Burger, M. et al. (2013). European guidelines on upper tract urothelial carcinomas: 2013 update. *Eur Urol*, 63, 1059-1071.
- Roupret, M., Zigeuner, R., Palou, J., Boehle, A., Kaasinen, E., Sylvester, R. et al. (2011). European guidelines for the diagnosis and management of upper urinary tract urothelial cell carcinomas: 2011 update. *Eur. Urol*, 59, 584-594.
- Rutjes, A., Reitsma, J., Coomarasamy, A., Khan, K., & Bossuyt, P. (2007). *Evaluation of diagnostic tests when there is no gold standard. A review of methods.* (Rep. No. 11).
- Sadow, C. A., Silverman, S. G., O'Leary, M. P., & Signorovitch, J. E. (2008). Bladder Cancer Detection with CT Urography in an Academic Medical Center. *Radiology*, 249, 195-202.
- Sahni, V. A., Shinagare, A. B., & Silverman, S. G. (2013). Virtual unenhanced CT images acquired from dual-energy CT urography: accuracy of attenuation values and variation with contrast material phase. *Clin Radiol*, 68, 264-271.
- Sánchez-Oritz, R. F., Huang, W. C., MICK, R., Van Arsdalen, K. N., Wein, A. J., & Malkowicz, S. B. (2003). An Interval Longer than 12 Weeks Between the Diagnosis of Muscle Invasion and Cystectomy is Associated with Worse Outcome in Bladder Carcinoma. *J Urol*, 169, 110-115.
- Schoder, H., Ong, S. C., Reuter, V. E., Cai, S., Burnazi, E., Dalbagni, G. et al. (2012). Initial results with (11)C-acetate positron emission tomography/computed tomography (PET/CT) in the staging of urinary bladder cancer. *Mol. Imaging Biol.*, 14, 245-251.
- Seddon, J. (2010). *Systems thinking in the public sector.* Axminster, U.K.: Triarchy Press.

- Shih, Y. C., Chien, C. R., Xu, Y., Pan, I. W., Smith, G., & Buchholz, T. (2011). Economic Burden of Renal Cell Carcinoma in the US. *Pharmacoeconomics*, 29, 331-341.
- Shinagare, A. B., Sahni, V. A., Sadow, C. A., Erturk, S. M., & Silverman, S. G. (2011). Feasibility of Low-Tube-Voltage Excretory Phase Images During CT Urography: Assessment Using a Dual-Energy CT Scanner. *American Journal of Roentgenology*, 197, 1146-1151.
- Siegel, R., Naishadham, D., & Jemal, A. (2012). Cancer statistics, 2012. *CA: A Cancer Journal for Clinicians*, 62, 10-29.
- Silverman, S. G., Gan, Y. U., Morteale, K. J., Tuncali, K., & Cibas, E. S. (2006). Renal Masses in the Adult Patient: The Role of Percutaneous Biopsy. *Radiology*, 240, 6-22.
- Silverman, S. G., Lee, B. Y., Seltzer, S. E., Bloom, D. A., Corless, C. L., & Adams, D. F. (1994). Small (< or = 3 cm) renal masses: correlation of spiral CT features and pathologic findings. *AJR Am.J.Roentgenol.*, 163, 597-605.
- Silverman, S. G., Lyendecker, J. R., & Amis, E. S. (2009). What is the current role of CT urography and MR urography in the evaluation of the urinary tract? *Radiology*, 250, 309-323.
- Smith, R. C., Rosenfield, A. T., Choe, K. A., & et al (1995). Acute flank pain: comparison of noncontrast enhanced CT and intravenous urography. *Radiology*, 194, 789-794.
- Smith, R. C., Verga, M., McCarthy, S., & Rosenfield, A. T. (1996). Diagnosis of acute flank pain: value of unenhanced helical CT. *AJR Am.J.Roentgenol.*, 166, 97-101.
- Sodickson, A. (2012). Strategies for reducing radiation exposure in multi-detector row CT. *Radiol Clin N Am*, 50, 1-14.
- Song, J. H., Beland, M. D., & Mayo-Smith, W. W. (2012). Incidental clinically important extraurinary findings at MDCT urography for hematuria evaluation: prevalence in 1209 consecutive examinations. *AJR Am J Roentgenol.*, 199, 616-622.
- Soto, J. A., Barish, M. A., & Yee, J. (2005). Reader training in CT colonography: how much is enough? *Radiology*, 237, 26-27.
- Sourtzis, S., Thibeau, J. F., Damry, N., Raslan, A., Vandendris, M., & Bellemans, M. (1999). Radiologic investigation of renal colic: unenhanced helical CT compared with excretory urography. *American Journal of Roentgenology*, 172, 1491-1494.
- Spencer, J., Lindsell, D., & Mastorakou, I. (1990). Ultrasonography compared with intravenous urography in the investigation of adults with haematuria. *British Medical Journal*, 301, 1074-1076.

- Stacul, F., Van Der Molen, A., Reimer, P., Webb, J., Thomsen, H., Morcos, S. et al. (2011). Contrast induced nephropathy: updated ESUR Contrast Media Safety Committee guidelines. *European Radiology*, *21*, 2527-2541.
- Stenzl, A., Cowan, N. C., De Santis, M., Jakse, G., Kuczyk, M. A., Merseburger, A. S. et al. (2009). The Updated EAU Guidelines on Muscle-Invasive and Metastatic Bladder Cancer. *European Urology*, *55*, 815-819.
- Sudakoff, G. S., Dunn, D. P., Guralnick, M. L., Hellman, R. S., Eastwood, D., & See, W. A. (2008). Multidetector computerized tomography urography as the primary imaging modality for detecting urinary tract neoplasms in patients with asymptomatic hematuria. *J Urol*, *179*, 862-867.
- Sufana Iancu, A., Colin, P., Puech, P., Villers, A., Ouzzane, A., Fantoni, J. C. et al. (2013). Significance of ADC value for detection and characterization of urothelial carcinoma of upper urinary tract using diffusion-weighted MRI. *World J Urol*, *31*, 13-19.
- Sutton, J. M. (1990). Evaluation of Haematuria in Adults. *Journal of the American Medical Association*, *263*, 2475-2480.
- Taghizadeh, A. K., El Madani A., Gard, P. R., Li, C. Y., Thomas, P. J., & Denyer, S. P. (2006). When does it hurt? Pain during flexible cystoscopy in men. *Urology International*, *76*, 301-303.
- Takahashi, N., Vrtiska, T. J., Kawashima, A., Hartman, R. P., Primak, A. N., Fletcher, J. G. et al. (2010a). Detectability of urinary stones on virtual nonenhanced images generated at pyelographic-phase dual-energy CT. *Radiology*, *256*, 184-190.
- Takahashi, N., Glockner, J. F., Hartman, R. P., King, B. F., Leibovich, B. C., Stanley, D. W. et al. (2010b). Gadolinium Enhanced Magnetic Resonance Urography for Upper Urinary Tract Malignancy. *The Journal of Urology*, *183*, 1330-1336.
- Takahashi, N., Kawashima, A., Glockner, J. F., Hartman, R. P., Leibovich, B. C., Brau, A. C. S. et al. (2008). Small (<2-cm) Upper-Tract Urothelial Carcinoma: Evaluation with Gadolinium-enhanced Three-dimensional Spoiled Gradient-Recalled Echo MR Urography. *Radiology*, *247*, 451-457.
- Takeuchi, M., Kawai, T., Ito, M., Ogawa, M., Ohashi, K., Hara, M. et al. (2012). Split-bolus CT-urography using dual-energy CT: feasibility, image quality and dose reduction. *Eur J Radiol*, *81*, 3160-3165.
- Takeuchi, M., Matsuzaki, K., Kubo, H., & Nishitani, H. (2008). Diffusion-weighted magnetic resonance imaging of urinary epithelial cancer with upper urinary tract obstruction: preliminary results. *Acta Radiol*, *49*, 1195-1199.
- Takeuchi, M., Sasaki, S., Ito, M., Okada, S., Takahashi, S., Kawai, T. et al. (2009). Urinary bladder cancer: diffusion-weighted MR imaging--accuracy for diagnosing T stage and estimating histologic grade. *Radiology*, *251*, 112-121.

- Tamai, H., Takiguchi, Y., Oka, M., Shingaki, N., Enomoto, S., Shiraki, T. et al. (2005). Contrast-enhanced ultrasonography in the diagnosis of solid renal tumors. *J.Ultrasound Med.*, 24, 1635-1640.
- Thoeny, H. C. & Ross, B. D. (2010). Predicting and monitoring cancer treatment response with diffusion-weighted MRI. *J Magn Reson.Imaging*, 32, 2-16.
- Thoeny, H. C., Forstner, R., & De Keyzer, F. (2012). Genitourinary Applications of Diffusion-weighted MR Imaging in the Pelvis. *Radiology*, 263, 326-342.
- Tomson, C. & Porter, T. (2002). Asymptomatic microscopic or dipstick haematuria in adults: which investigations for which patients? A review of the evidence. *BJU International*, 90, 185-198.
- Toth, T. & Hsieh, J. (2009). Strategies to reduce radiation dose in CT. In M.Mahesh (Ed.), *MDCT Physics The Basics - Technology, Image Quality and Radiation Dose* (1 ed., pp. 115-143). Philadelphia: Lippincott Williams & Wilkins.
- Turney, B. W., Willatt, J. M. C., Nixon, D., Crew, J. P., & Cowan, N. C. (2006). Computed tomography urography for diagnosing bladder cancer. *BJU International*, 98, 345-348.
- Van Der Molen, A., Cowan, N., Mueller-Lisse, U., Nolte-Ernsting, C., Takahashi, S., Cohan, R. et al. (2008). CT urography: definition, indications and techniques. A guideline for clinical practice. *European Radiology*, 18, 4-17.
- Viswanath, S., Zelhof, B., Ho, E., Sethia, K., & Mills, R. (2008). Is routine urine cytology useful in the haematuria clinic? *Ann R Coll Surg Engl*, 90, 153-155.
- Vrtiska, T. J., Hartman, R. P., Kofler, J. M., Bruesewitz, M. R., King, B. F., & McCollough, C. H. (2009). Spatial Resolution and Radiation Dose of a 64-MDCT Scanner Compared with Published CT Urography Protocols. *AJR Am.J.Roentgenol.*, 192, 941-948.
- Waldert, M., Karakiewicz, P. I., Raman, J. D., Remzi, M., Isbarn, H., Lotan, Y. et al. (2010). A delay in radical nephroureterectomy can lead to upstaging. *BJU International*, 105, 812-817.
- Wang, L. J., Wong, Y. C., Huang, C. C., Wu, C. H., Hung, S. C., & Chen, H. W. (2010). Multidetector computerized tomography urography is more accurate than excretory urography for diagnosing transitional cell carcinoma of the upper urinary tract in adults with hematuria. *J Urol.*, 183, 48-55.
- Wang, L. J., Wong, Y. C., Chuang, C. K., Huang, C. C., & Pang, S. T. (2009). Diagnostic Accuracy of Transitional Cell Carcinoma on Multidetector Computerized Tomography Urography in Patients With Gross Hematuria. *The Journal of Urology*, 181, 524-531.
- Warshauer, D. M., McCarthy, S. M., Street, L., Bookbinder, M. J., Glickman, M. G., Richter, J. et al. (1988). Detection of renal masses: sensitivities and specificities of excretory urography / linear tomography, US, and CT. *Radiology*, 169, 363-365.

Watanabe, H., Kanematsu, M., Kondo, H., Goshima, S., Tsuge, Y., Onozuka, M. et al. (2009). Preoperative T staging of urinary bladder cancer: does diffusion-weighted MRI have supplementary value? *AJR Am J Roentgenol.*, 192, 1361-1366.

Webb, J. A. W. (1997). Imaging in Haematuria. *Clinical Radiology*, 52, 167-171.

Webb, J. A. W. (1994). Intravenous Urography. In L.Dalla Palma & H. S. Thomsen (Eds.), *European Uroradiology '94* (pp. 36-39). Copenhagen: FADL.

Weinstein, S., Obuchowski, N. A., & Lieber, M. L. (2005). Clinical evaluation of diagnostic tests. *AJR Am J Roentgenol.*, 184, 14-19.

Wilson, E. B. (1927). Probable inference, the law of succession, and statistical inference. *J Am Stat Assoc*, 22, 209-212.

Yip, S. K. H., Peh, W. C. G., Tam, P. C., Li, J. H. C., & Lam, C. H. C. (1998). Day case hematuria diagnostic service: use of ultrasonography and flexible cystoscopy. *Urology*, 52, 762-766.

Yoshida, S., Masuda, H., Ishii, C., Saito, K., Kawakami, S., & Kihara, K. (2008). Initial experience of functional imaging of upper urinary tract neoplasm by diffusion-weighted magnetic resonance imaging. *Int.J Urol*, 15, 140-143.

Zagoria, R. J. (2000). Imaging of Small Renal Masses. *American Journal of Roentgenology*, 175, 945-955.